

Message

From: Mann, Stephen M (DHSS) [Stephen.Mann@delaware.gov]
Sent: 10/14/2022 12:49:31 PM
To: Richardson, William [Richardson.William@epa.gov]
Subject: RE: Lead in schools article

We should probably invite Heather Warren and James Hanes as well. James is HSP's Environmental Toxicologist (Environmental Scientist IV) and has been working with the schools since it came to light in late summer. I can forward the invite to them once I get it. Thx!

Slàinte mhath (Good health)

-Steve

Stephen Mann
Public Health Treatment Program Administrator
Office of Drinking Water
Health Systems Protection
Division of Public Health
Delaware Department of Health and Social Services
43 S DuPont Hwy
Dover, Delaware 19901
State Mail Code: 620F
Office: 302-741- 8630
stephen.mann@delaware.gov



DELAWARE HEALTH AND SOCIAL SERVICES
Division of Public Health

Share your feedback with us, please – [DPH Customer Feedback Survey](#)



From: Richardson, William <Richardson.William@epa.gov>
Sent: Friday, October 14, 2022 8:29 AM
To: Mann, Stephen M (DHSS) <Stephen.Mann@delaware.gov>
Subject: Lead in schools article

Hi Steve, do you have time this afternoon to discuss the attached article? Maybe 2 or 3pm?



Bill Richardson (he/him)
Chief, Drinking Water Section
US EPA Region 3 – Mid Atlantic
Phone 215-814-5675
Email richardson.william@epa.gov

